

# Contents

Number 1, January 1988

## EDITORIAL

- The evolution of *Anaesthesia*  
*J.N. Lunn*

1

## ORIGINAL ARTICLES

- Halothane and isoflurane in outpatient anaesthesia. A comparison of recovery  
*K.R. Milligan, J.P. Howe and J.W. Dundee* 2
- Isoflurane as an alternative to halothane for Caesarean section  
*R.G. Ghaly, R.J. Flynn and J. Moore* 5
- Low volume, high concentration block of the sciatic nerve  
*B.E. Smith and D. Siggins* 8
- Plasma concentrations of bupivacaine during extradural anaesthesia for Caesarean section. The effect of adrenaline  
*C.M. Wilson, J. Moore, R.G. Ghaly, R. Flynn, E. McClean and J.W. Dundee* 12

## CASE REPORTS

- Respiratory disturbance during recovery from etomidate anaesthesia  
*C.J.R. Parker* 16
- Fibreoptic intubation in Klippel-Feil syndrome  
*R.E.O. Daum and D.J. Jones* 18
- Isoflurane and primary pulmonary hypertension  
*D.C.H. Cheng and G. Edelist* 22
- A new technique for sleeve resection and major bronchial resection using twin catheters and high frequency jet ventilation  
*M. McKinney, D.L. Coppel, J.R. Gibbons and J. Cosgrove* 25

## APPARATUS

- The oesophageal detector device. Assessment of a new method to distinguish oesophageal from tracheal intubation  
*M.Y.K. Wee* 27
- An evaluation of the Stihler 1FT 200 blood warmer  
*S.E. Walters, C. Wood and M. Morgan* 30
- Pressure infuser devices. Do they generate the pressures indicated?  
*P. Cox* 33
- A combined oxygen concentrator and compressed air unit. Assessment of a prototype and discussion of its potential applications  
*W.R. Easy, G.A. Douglas and A.J. Merrifield* 37

## SPECIAL ARTICLE

- Some observations of levels of plasma cholinesterase activity within an obstetric population  
*M. Whittaker, J.S. Crawford and M. Lewis* 42

## FORUM

- Total intravenous anaesthesia for military surgery. A technique using ketamine, midazolam and vecuronium  
*J. Restall, A.M. Tully, P.J. Ward and A.G. Kidd* 46
- Temazepam and recovery in day surgery  
*P.A. Obey, T.W. Ogg and W.R. Gilks* 49
- Hypoxaemia after premedication in cardiac patients. Glycopyrronium compared with hyoscine  
*M.A. Hetreed and C. Asp* 52
- Survey of the practice of epidural analgesia in a regional sample of obstetric units  
*M. Frank, A. Heywood and D.M. MacLeod* 54

## CORRESPONDENCE

59

## BOOK REVIEWS

74

## ANAESTHETIC LITERATURE

76

## OBITUARIES

81

## INTERNATIONAL NEWS

81

## INTERNATIONAL CONGRESS CALENDAR

81

## ANNUAL REPORT OF COUNCIL

83

EDITORIAL

- A confidential enquiry into peri-operative deaths  
*M. Morgan*

91

ORIGINAL ARTICLES

- H<sub>2</sub> antagonists and bupivacaine clearance  
*G.M. O'Sullivan, M. Smith, B. Morgan, D. Brighthouse and F. Reynolds*  
Subarachnoid anaesthesia for elective Caesarean section  
*A.R. Michie, R.M. Freeman, D.A. Dutton and H.B. Howie*  
A single dose epidural technique for Caesarean section  
*R.S. Laishley and B.M. Morgan*  
Peri-operative dreaming in paediatric patients who receive suxamethonium  
*E.P. O'Sullivan, D. Childs and G.H. Bush*  
Paediatric postoperative analgesia  
*D. Fell, M.C. Derrington, E. Taylor and J.G. Wandless*  
A comparison of midazolam and temazepam for premedication of day case patients  
*J.J. Nightingale and J. Norman*  
Changes in memory following general or spinal anaesthesia for hip arthroplasty  
*D. Hughes, J.B. Bowes and M.W. Brown*

93  
96  
100  
104  
107  
111  
114

CASE REPORTS

- Acute inversion of the uterus at Caesarean section  
*R.S. Emmott and A. Bennett*  
Fibreoptic bronchoscopic nasotracheal intubation of a neonate with Pierre Robin syndrome  
*P. Howardy-Hansen and P. Berthelsen*  
Penetrating tracheal injury in a child  
*M.R. Hamilton-Farrell, L. Edmondson and W.D.J. Cantrell*  
Epidural blockade in the treatment of preterm labour  
*N.C. Melsen and M.F. Noreng*  
Intrathecal buprenorphine for postoperative analgesia in the elderly patient  
*G. Capogna, D. Celleno, V. Tagariello and C. Loffreda-Mancinelli*

118  
121  
123  
126  
128

APPARATUS

- A comparison of oxygen therapy devices used in the postoperative recovery period  
*A.B. Williams, P.L. Jones and W.W. Mapleson*  
A comparison of two pulse oximeters  
*S.A. Ridley*  
The Ruben circle anaesthesia system  
*M.J. Sik, D.J. Eveleigh and R.B. Lewis*

131  
136  
141

HISTORICAL

- The appointment of an anaesthetist  
*A.H.B. Masson*

146

FORUM

- AIDS in ICUs: outcome  
*R. Deam, A.P.S. Kimberley, M. Anderson and N. Soni*  
Reducing the risks of laryngoscopy in anaesthetised infants  
*J.L. Ledbetter, D.K. Rasch, T.G. Pollard, P. Helsel and R.B. Smith*  
Cannulation of the epidural space  
*M.J. McNeill and J. Thorburn*

150  
151  
154

CORRESPONDENCE

156

BOOK REVIEWS

172

ANAESTHETIC LITERATURE

175

COURSES/SAFETY INFORMATION BULLETIN

180

ORIGINAL ARTICLES

- Bladder temperature as an estimate of body temperature during cardiopulmonary bypass  
*M.E. Bone and R.O. Feneck* 181
- Prolonged anaesthesia with isoflurane and halothane. Effects on hepatic function  
*J.-P.A.H. Jantzen, P.P. Kleemann, P.K. Witton, F. Mertzluft, A.M. Klein and W.F. Dick* 186
- Patient-controlled analgesia with a mixture of pethidine and doxapram hydrochloride. A comparison of the incidence of respiratory dysrhythmias with pethidine alone  
*P.A. Clyburn and M. Rosen* 190
- A comparison of nalbuphine with fentanyl for postoperative pain relief following termination of pregnancy under day care anaesthesia  
*M.E. Bone, S. Dowson and G. Smith* 194
- Pain-free injection in infants. Use of a lignocaine-prilocaine cream to prevent pain at intravenous induction of general anaesthesia in 1-5-year-old children  
*C.S. Hopkins, C.J. Buckley and G.H. Bush* 198

CASE REPORTS

- Myocardial infarction in the third trimester of pregnancy  
*M. Bembridge and G. Lyons* 202
- Injury to the axillary nerve  
*C.L. Gwinnett* 205
- Anaphylactoid reaction to vecuronium followed by systemic reaction to skin testing  
*A.M. Farrell, G. Gowland, J.M. McDowell, K.H. Simpson and J. Watkins* 207
- Epidural fentanyl and monoamine oxidase inhibitors  
*M.S. Youssef and P.A. Wilkinson* 210
- Fatal paradoxical thrombo-embolism during anaesthesia  
*S.A. Coleman and J. Wilson-MacDonald* 213
- Use of negative pressure ventilation to facilitate the return of spontaneous ventilation  
*A.K. Simonds, E.H. Sawicka, N. Carroll and M.A. Branthwaite* 216
- Spinal haematoma following epidural analgesia. Report of a patient with ankylosing spondylitis and a bleeding diathesis  
*H. Gustafsson, H. Rutberg and M. Bengtsson* 220
- HELLP syndrome and the anaesthetist  
*B.L. Duffy* 223
- Pneumectomy in a patient with ventricular septal defect  
*R.G. MacGillivray, D.A. Rocke, D.M. Shama and A.S. Mitha* 226

APPARATUS

- The accuracy of pulse oximeters. A comparative clinical evaluation of five pulse oximeters  
*M.B. Taylor and J.G. Whitwam* 229
- Measurement of FEV<sub>1</sub> and FVC. Comparison of a pocket spirometer with the Vitalograph  
*H.E. Hosie and W.S. Nimmo* 233

FORUM

- The antiemetic action of propofol  
*J.S.C. McCollum, K.R. Milligan and J.W. Dundee* 239
- An additional tactile test. Further developments in tactile tests to confirm laryngeal placement of tracheal tubes  
*W.A. Horton, S. Perera and P. Charters* 240

CORRESPONDENCE

ANAESTHETIC LITERATURE

245  
260

FOREWORD

<i>C. Prys-Roberts</i>	1
Total intravenous anaesthesia with propofol and alfentanil by computer-assisted infusion	
<i>J. Schüttler, S. Kloos, H. Schwilden and H. Stoeckel</i>	2
Disposition kinetics of propofol during alfentanil anaesthesia	
<i>E. Gepts, K. Jonckheer, V. Maes, W. Sonck and F. Camu</i>	8
Induction and maintenance of propofol anaesthesia. A manual infusion scheme	
<i>F.L. Roberts, J. Dixon, G.T.R. Lewis, R.M. Tackley and C. Prys-Roberts</i>	14
Infusions of propofol to supplement nitrous oxide-oxygen for the maintenance of anaesthesia. A comparison with halothane	
<i>J.W. Sear, I. Shaw, A. Wolf and N.H. Kay</i>	18
Pharmacokinetics of propofol administered by continuous infusion in patients with cirrhosis. Preliminary results	
<i>F. Servin, J.M. Desmonts, R. Farinotti, J.P. Haberer and C. Winckler</i>	23
Effects of propofol on cardiovascular dynamics and coronary blood flow in geriatric patients. A comparison with etomidate	
<i>R. Larsen, J. Rathgeber, A. Bagdahn, H. Lange and H. Rieke</i>	25
Effects of thiopentone, etomidate and propofol on the haemodynamic response to tracheal intubation	
<i>C.E. Harris, A.M. Murray, J.M. Anderson, R.M. Grounds and M. Morgan</i>	32
Effect of propofol on cerebrospinal fluid pressure and cerebral perfusion pressure in patients undergoing craniotomy	
<i>P. Ravussin, J.P. Guinard, F. Ralley and D. Thorin</i>	37
Effect of propofol on cerebral blood flow and metabolism in man	
<i>A. Vandesteene, V. Trempont, E. Engelman, T. Deloof, M. Focroul, A. Schoutens and M. De Rood</i>	42
Propofol anaesthesia alters somatosensory evoked cortical potentials	
<i>P. Maurette, F. Simeon, L. Castagnera, J. Esposito, G. Macouillard and L.A. Heraut</i>	44
Propofol infusion and auditory evoked potentials	
<i>G. Savoia, C. Esposito, F. Belfiore, B. Amantea and R. Cuocolo</i>	46
Comparison of propofol and methohexitone anaesthesia for thermocoagulation therapy of trigeminal neuralgia	
<i>J. Kytä and P.H. Rosenberg</i>	50
Intra-ocular pressure changes during induction of anaesthesia and tracheal intubation. A comparison of thiopentone and propofol followed by vecuronium	
<i>R.K. Mirakhur, P. Elliott, W.F.I. Shepherd and D.B. Archer</i>	54
Changes in intra-ocular pressure in the elderly during anaesthesia with propofol	
<i>Y. Guedes, J.C. Rakotoschano, M. Leveque, F. Mimouni and J.P. Egreteau</i>	58
Propofol for electroconvulsive therapy. A comparison with methohexitone. Preliminary report	
<i>E.C. Rouse</i>	61
Propofol and emesis	
<i>R.D. Gunawardene and D.C. White</i>	65
Mood evaluation and outpatient anaesthesia. A comparison between propofol and thiopentone	
<i>N.J. McDonald, D. Mannion, P. Lee, D.P. O'Toole, C. O'Boyle and P.K. Keane</i>	68

FORUM

Multicentre study of propofol in day case surgery	
<i>J.H. Sanderson and J.F. Blades</i>	70
The effect of fentanyl on propofol requirements for day case anaesthesia	
<i>V.L. Thomas, D.N. Sutton and D.A. Saunders</i>	73
Use of propofol for sedation during gastrointestinal endoscopies	
<i>A. Dubois, E. Balatoni, J.P. Peeters and M. Baudoux</i>	75
Intubation under induction doses of propofol	
<i>J.P. Keaveny and P.J. Knell</i>	80
Propofol for inpatient dental anaesthesia. A comparison of propofol as sole anaesthetic agent with thiopentone and halothane for inpatient dental anaesthesia	
<i>S.J. Hunter and C.A.B. McLaren</i>	81
Comparison of a total intravenous anaesthetic technique using a propofol infusion, with an inhalational technique using enflurane for day case surgery	
<i>M.L. Price, A. Walmsley, C. Swaine and J. Ponte</i>	84
Comparison between propofol and midazolam as sedative agents for surgery under regional anaesthesia	
<i>L. Fanard, A. Van Steenberge, X. Demeire and F. van der Puyt</i>	87
Recovery times and side effects after propofol infusion and after isoflurane during ear surgery with additional infiltration anaesthesia	
<i>H. Ledderose, P. Rester, P. Carlsson and K. Peter</i>	89
A comparison of propofol and midazolam by infusion to provide sedation in patients who receive spinal anaesthesia	
<i>E. Wilson, N. Mackenzie and I.S. Grant</i>	91
Propofol in total intravenous anaesthesia without nitrous oxide	
<i>P.A. Steegers and P.A. Foster</i>	94

Supplement, March 1988 (contd)

Intravenous infusion of propofol for induction and maintenance of anaesthesia during endoscopic carbon dioxide laser ENT procedures with high frequency jet ventilation <i>A. Mayné, K. Joucken, E. Collard and P. Randour</i>	97
Anaesthesia for extracorporeal shock-wave lithotripsy. A comparison of propofol and methohexitone infusions during high frequency jet ventilation <i>A. Harries, G. Bagley and M. Lim</i>	100
An open comparison of propofol and enflurane for prolonged abdominal operations <i>E. Hartung and E. Freye</i>	105
Effect of propofol on elevated intracranial pressure. Preliminary results <i>L. Herregods, J. Verbeke, G. Rolly and F. Colardyn</i>	107
A comparison between propofol and ketamine for anaesthesia in the elderly. Haemodynamic effects during induction and maintenance <i>R. Maneglia and M.T. Cousin</i>	109
Propofol in elderly high risk patients. A comparison of haemodynamic effects with thiopentone during induction of anaesthesia <i>A. Steib, G. Freys, J.P. Beller, U. Curzola and J.C. Otteni</i>	110
SUMMARIES OF OTHER PAPERS AND POSTERS	156

EDITORIAL

- Consent and the anaesthetist  
*R.N. Palmer*

265

ORIGINAL ARTICLES

- Anxiety and informed consent. Does anxiety influence consent for inclusion in a study of anxiolytic pre-medication?

*J.H.L. Antrobus*

267

- Intranasal sufentanil for pre-operative sedation

*M. Vercauteren, E. Boeckx, G. Hanegreets, H. Noorduyn, and G. Vanden Bussche*

270

Benzodiazepine intoxication treated with flumazenil (Anexate, Ro 15-1788)

*L. Knudsen, L. Lonka, B.H. Sorensen, L. Kirkegaard, O.V. Jensen and S. Jensen*

274

- A comparison of rectal diclofenac with intramuscular papaveretum or placebo for pain relief following tonsillectomy

*M.E. Bone and D. Fell*

277

- Nalbuphine combined with midazolam for outpatient sedation. An assessment of safety in volunteers

*M.R.J. Sury and P.V. Cole*

281

- Nalbuphine combined with midazolam for outpatient sedation. An assessment in fiberoptic bronchoscopy patients

*M.R.J. Sury and P.V. Cole*

285

- Continuous epidural infusion of 0.075% bupivacaine for pain relief in labour. A comparison with intermittent top-ups of 0.5% bupivacaine

*J.A. Hicks, J.G. Jenkins, M.C. Newton and I.L. Findley*

289

- Plasma morphine concentrations after intramuscular injection into the deltoid or gluteal muscles

*T. Kirkpatrick, P.D. Henderson and W.S. Nimmo*

293

- Transcutaneous electrical nerve stimulation after thoracotomy. Pain relief and peak expiratory flow rate—a trial of transcutaneous electrical nerve stimulation

*J.F. Stubbing and J.A. Jellicoe*

296

CASE REPORTS

- Acetylcholinesterase—a specific marker for cerebrospinal fluid

*R.G. Vanner*

299

- Adriamycin cardiomyopathy. Fatal outcome of general anaesthesia in a child with Adriamycin cardiomyopathy

*P.J. McQuillan, B.A. Morgan and J. Ramwell*

301

- Ischaemic pain in Buerger's disease. Report of a female patient receiving long-term local analgesia

*J.M. Saddler and M.M. Crosse*

305

- Sick sinus syndrome manifest after spinal anaesthesia

*S.M. Underwood and C.J. Glynn*

307

- Recurarisation following a suxamethonium-alcuronium sequence in patients with atypical cholinesterase

*A. Baraka, A.-N. Sibai, M. Hamed and R. Delleh*

310

APPARATUS

- Tracheal tube cuff pressure. Clinical use of the Cardiff Cuff Controller

*B.A. Willis, I.P. Latto and A. Dyson*

312

SPECIAL ARTICLE

- Free radicals. Formation, function and potential relevance in anaesthesia

*D. Royston*

315

FORUM

- Silent regurgitation in day case gynaecological patients

*C.D. Miller and W.G. Anderson*

321

- Blood flow in the upper limb during brachial plexus anaesthesia

*G.D. Cross and J.M. Porter*

323

- Enhanced brachial plexus blockade. Effect of pain and muscular exercises on the efficiency of brachial plexus blockade

*A.S. Okasha, A.M. El-Attar and H.L. Soliman*

327

CORRESPONDENCE

330

BOOK REVIEWS

336

ANAESTHETIC LITERATURE

339

OBITUARIES

343

INTERNATIONAL CONGRESS CALENDAR

343

EDITORIAL

Anaesthesia, the clinician and the industrialist

*P.J. Brand*

345

ORIGINAL ARTICLES

Resuscitation in late pregnancy

*G.A.D. Rees and B.A. Willis*

347

Propofol for induction of anaesthesia in children. A comparison with thiopentone and halothane inhalational induction

*N.S. Morton, M. Wee, G. Christie, I.G. Gray and I.S. Grant*

350

Cocaine absorption from the nasal mucosa

*L. Bromley and A. Hayward*

356

Anaesthesia for valvuloplasty

*A. Chaffe, M.J. Fairbrass and R.R. Chatrath*

359

The effects of injected solution temperature on intravenous regional anaesthesia

*D.L. Paul, M.R. Logan and J.A.W. Wildsmith*

362

Which intravenous induction agent for day surgery? A comparison of propofol, thiopentone, methohexitone and etomidate

*P.J. Heath, D.J. Kennedy, T.W. Ogg, C. Dunling and W.R. Gilks*

365

Isoflurane for conscious sedation

*M.R.C. Rodrigo and J.B. Rosenquist*

369

CASE REPORTS

Reversal of sedation by prolonged infusion of flumazenil (Anexate, Ro 15-1788)

*A. Bodenham, G. Brownlie, J.S. Dixon and G.R. Park*

376

Overtransfusion as a possible cause of split skin graft loss

*G.W.G. French and P. Tomlinson*

379

Macroglossia and posterior fossa disease

*J.K. Moore, S. Chaudhri, A.P. Moore and J. Easton*

382

Malignant hyperthermia in the Wolf-Hirschhorn syndrome

*R. Ginsburg and G. Purcell-Jones*

386

Myoclonic spasms following intrathecal morphine

*M.L. Glavina and R. Robertshaw*

389

A severe coagulopathy following volume replacement with hydroxyethyl starch in a Jehovah's Witness

*D.N.J. Lockwood, C. Bullen and S.J. Machin*

391

APPARATUS

Anaesthesia for carbon dioxide laser laryngeal surgery in infants. A new tracheal tube

*J. Hunton and V.H. Oswal*

394

A comparison of different methods of lubrication of glass syringes used to identify the epidural space

*B.C. Leiman, J. Katz, H. Salzarulo, R.D. Warters and B.D. Butler*

397

Cuff failure in polyvinyl chloride tracheal tubes sprayed with lignocaine

*A.J. Walmsley, L.M. Burville and T.P. Davis*

399

Pulse oximetry and postoperative hypothermia. An evaluation of the Nellcor N-100 in a cardiac surgical intensive care unit

*M.R. Gabrielczyk and R.J. Buist*

402

A drawover Boyle's machine. Development and evaluation in Zambia

*J.R. Sinclair and I.H. Wilson*

405

FORUM

One lung high frequency ventilation for peroral sealing of bronchial stump fistulae

*C. Mallios, M.A. van Stolk, P.A. Scheck, S.E. Overbeek and T.H. Sie*

409

Teaching guided fiberoptic nasotracheal intubation. An assessment of an anaesthetic technique to aid training

*P.A. Coe, T.A. King and R.M. Towey*

410

Urea and electrolyte measurement in pre-operative surgical patients

*G.J. McClean*

413

CORRESPONDENCE

416

BOOK REVIEWS

427

ANAESTHETIC LITERATURE

429

ERRATUM

432



ORIGINAL ARTICLES

- Effects of beta-adrenoceptor antagonism on the cardiovascular and catecholamine responses to tracheal intubation  
*K.J. Achola, M.J. Jones, R.W.D. Mitchell and G. Smith* 433
- Successful difficult intubation. Use of the gum elastic bougie  
*J.F. Kidd, A. Dyson and I.P. Latto* 437
- Plasma lignocaine levels during paediatric endoscopy of the upper respiratory tract. Relationship with mucosal moistness  
*H.B. Whittet, A.W. Hayward and E. Battersby* 439
- Reversal of pancuronium. Neuromuscular and cardiovascular effects of a mixture of neostigmine and glycopyrronium  
*D.R. Goldhill, P.B. Embree, H.H. Ali and J.J. Savarese* 443
- The effect of changes in arm temperature on neuromuscular monitoring in the presence of atracurium blockade  
*E.A. Thornberry and B. Mazumdar* 447
- Recovery of neuromuscular function and postoperative morbidity following blockade by atracurium, alcuronium and vecuronium  
*K.L. Kong and G.M. Cooper* 450
- A comparison of isoflurane and halothane in anaesthesia for intra-ocular surgery  
*J.F. Craig and J.H. Cook* 454
- Comparison of propofol and methohexitone as anaesthetic agents for electroconvulsive therapy  
*R. Dwyer, W. McCaughey, J. Lavery, G. McCarthy and J.W. Dundee* 459
- Perineuronal morphine: a comparison with epidural morphine  
*J.B. Dahl, J.J. Dagaard, E. Kristoffersen, H.V. Johannsen and J.A. Dahl* 463
- Hypnosis and daycase anaesthesia. A study to reduce pre-operative anxiety and intra-operative anaesthetic requirements  
*L. Goldmann, T.W. Ogg and A.B. Levey* 466
- A comparison of two anaesthetic techniques for daycase arthroscopy  
*D.M. Dickson, H.M. Pringle and D.B. Bamber* 470
- Suxamethonium dosage in electroconvulsive therapy  
*W.H. Konarzewski, D. Milosavljevic, M. Robinson, W. Banham and F. Beales* 474

CASE REPORTS

- Isoflurane in the treatment of asthma  
*S. Revell, D. Greenhalgh, S.R. Absalom and N. Soni* 477
- The nasocardiac reflex  
*M.L. Baxandall and J.L. Thorn* 480
- Anaesthetic management in patients with epidermolysis bullosa dystrophica  
*R. Hagen and C. Langenberg* 482
- Acute localised pulmonary oedema. Re-expansion pulmonary oedema following the surgical repair of a ruptured hemidiaphragm  
*S.T. Khoo and F.G. Chen* 486

FORUM

- Plasma catecholamine concentrations—changes after infiltration with local anaesthetic solutions and adrenaline during bat-ear surgery  
*J.K.L. Lew, K.A. Mobley, K.J. Achola and G. Smith* 490
- Propofol: clinical strategies for preventing the pain of injection  
*R.P.F. Scott, D.A. Saunders and J. Norman* 492
- Nifedipine prevents the pressor response to laryngoscopy and tracheal intubation in patients with coronary artery disease  
*S.C. Kale, R.P. Mahajan, T.S. Jayalakshami, V. Raghavan and B. Das* 495
- High frequency jet ventilation in intensive care—a review of 63 patients  
*B.E. Smith, P.V. Scott and H.B.J. Fischer* 497

CORRESPONDENCE

ANAESTHETIC LITERATURE

INDEX OF COMPUTER PROGRAMS

SAFETY INFORMATION BULLETIN

ERRATUM

506  
521  
528  
529  
529



EDITORIAL

- Diabetes and anaesthesia—slow progress?  
G.M. Hall and J.P. Desborough

531

ORIGINAL ARTICLES

- Insulin treatment of the insulin-dependent diabetic patient undergoing minor surgery. Continuous intravenous infusion compared with subcutaneous administration  
C.L. Christiansen, B.A. Schurizek, B. Mallng, L. Knudsen, K.G.M.M. Alberti and K. Hermansen 533
- Diabetes mellitus and anaesthesia. A survey of the peri-operative management of the patient with diabetes mellitus  
J.M. Dunnet, R.R. Holman, R.C. Turner and J.W. Sear 538
- Respiratory criteria of fitness for surgery and anaesthesia  
J.F. Nunn, J.S. Milledge, D. Chen and C. Dore 543
- Absorption of buccal morphine. A comparison with slow-release morphine sulphate  
A.P. Fisher, C. Fung and M. Hanna 552
- Recovery after single-breath halothane induction of anaesthesia in daycase patients. A comparison with thiopentone  
J.J. Nightingale, J.G.L. Stock, E.P. McKiernan and N.C.T. Wilton 554
- Midwife's assessment of the upper sensory level after epidural blockade  
M.J.T. Jones, D.G. Bogod, G.A.D. Rees and M. Rosen 557
- Peri-operative dreaming and awareness in children  
A.J. Hobbs, G.H. Bush and D.Y. Downham 560
- Intra-articular bupivacaine for pain relief after arthroscopic surgery of the knee joint in daycase patients  
K.A. Milligan, M.J. Mowbray, L. Mulrooney and P.J. Standen 563
- Suxamethonium induced myalgia and the effect of pre-operative administration of oral aspirin. A comparison with a standard treatment and an untreated group  
C. McLoughlin, G.A. Nesbitt and J.P. Howe 565

CASE REPORTS

- Common peroneal nerve palsy. A complication of coronary artery bypass grafting surgery  
Y. Hatano, T. Arai, H. Iida and J. Soneda 568
- Visual disturbances after spinal anaesthesia  
J.J. deLange, J.S. Stilma and F. Crezee 570
- Relapsing polychondritis and the anaesthetist  
A.W. Hayward and B. Al-Shaikh 573
- Complete heart block during anaesthesia in a patient with sarcoidosis  
D.W. Thomas and R.A. Mason 578

APPARATUS

- The Ohmeda Excel anaesthetic machine  
C.P. Emmett, T.H. Clutton-Brock and P. Hutton 581
- Electrical distribution boards in the operating theatre  
M. Nieman, A. Shaw and R. Railton 584

SPECIAL ARTICLE

- Clinical relevance of the B<sub>12</sub>/N<sub>2</sub>O interaction. A report of a seminar  
J.F. Nunn 587

FORUM

- Postoperative sore throat related to the use of a Guedel airway  
B. Browne and C.N. Adams 590
- Edrophonium-hyoscine butylbromide mixture for reversal of neuromuscular blockade: heart rate changes in infants and children  
M. Yamashita and K. Tajima 591
- Induction characteristics of propofol in children: comparison with thiopentone  
R.K. Mirakhur 593

CORRESPONDENCE

599

BOOK REVIEWS

616

ANAESTHETIC LITERATURE

618

OBITUARIES

624

INTERNATIONAL CONGRESS CALENDAR

624

EDITORIAL

- Reporting adverse reactions to anaesthetic drugs: a new way forward  
*W.S. Nimmo* 627

ORIGINAL ARTICLES

- Heart rate and arterial pressure changes during fiberoptic tracheal intubation under general anaesthesia  
*J.E. Smith* 629
- Low volume intercostal injection. A comparative study in patients and cadavers  
*A. Mowbray and K.K.S. Wong* 633
- Anatomical re-evaluation of lumbar dura mater with regard to postspinal headache. Effect of dural puncture  
*M. Dittmann, H.-G. Schäfer, J. Ulrich and W. Bond-Taylor* 635
- The effects of thiopentone and propofol on upper airway integrity  
*K. McKeating, I.M. Bali and J.W. Dundee* 638
- Diclofenac sodium for post-tonsillectomy pain in children  
*C.H. Watters, C.C. Patterson, H.M.L. Mathews and W. Campbell* 641
- Anti-adrenal action of a subanaesthetic dose of etomidate  
*M.C. Diago, J.A. Amado, M. Otero and J.J. Lopez-Cordovilla* 644
- Propofol induction and maintenance with nitrous oxide in paediatric outpatient dental anaesthesia. A comparison with thiopentone-nitrous oxide-halothane  
*N. Puttick and M. Rosen* 646
- Plasma bupivacaine concentrations during caudal analgesia and ilioinguinal-iliohypogastric nerve block in children  
*P.J. Stow, A. Scott, A. Phillips and J.B. White* 650

CASE REPORTS

- Tracheal stenosis or agenesis in association with tracheo-oesophageal fistula and oesophageal atresia  
*R.J. Bray and W.H. Lamb* 654
- Pre-eclampsia in a parturient with a history of myocardial infarction. A case report and literature review  
*P.J. Dawson and A.W. Ross* 659
- Spinal subdural haematoma following spinal anaesthesia  
*G.L. Barker* 664
- Multiple anaesthetics for a malignant hyperthermia susceptible patient  
*E.R. Emmanuel* 666
- Subarachnoid spread of epidural local anaesthetic following dural puncture  
*A. Leach and G.B. Smith* 671
- Hyponatraemia and mental symptoms following vesical ultrasonic lithotripsy  
*Y.K. Batra, R. Kapoor, A.K. Hemal and S. Vaidyanathan* 675

APPARATUS

- Clinical trial of the Continucath intra-arterial oxygen monitor. A comparison with intermittent arterial blood gas analysis  
*P.M. Pfeifer, D.T. Pearson and R.H. Clayton* 677
- Tracheal tubes in cold stress  
*B.-E. Dahlgren, H.G. Nilsson and B. Viklund* 683
- Evaluation of a new tracheal tube with a movable bronchus blocker  
*R.G. MacGillivray* 687

FORUM

- A survey of anaesthetic charts  
*M. Bembridge and J.L. Bembridge* 690
- Premedication with oral slow release morphine in dental anaesthesia. A comparison with temazepam  
*M.N. Richmond and R.E.O. Daum* 694
- Comparison between propofol and thiopentone for induction of anaesthesia in children  
*M. Valtonen, E. Iisalo, J. Kanto and J. Tikkanen* 696
- The Oxford Miniature vaporizer in paediatric anaesthesia. An experimental study  
*I.H. Wilson, R.J.E. Page and M.J.H. Yeats* 700

CORRESPONDENCE

- 703
- ANAESTHETIC LITERATURE 715

- THE ANNUAL CONFERENCE OF LINKMEN OF THE ASSOCIATION OF ANAESTHETISTS OF GREAT BRITAIN AND IRELAND, 1987 721

EDITORIAL

Counselling on malignant hyperpyrexia

*L. Mulrooney*

727

ORIGINAL ARTICLES

Hapten inhibition and dextran anaphylaxis

*K.-G. Ljungström, H. Renck, H. Hedin, W. Richter and B.-E. Wiholm*

729

The influence of anaesthetic technique on metabolism of oral morphine

*M.P. Shelly, B.L. Taylor, K.G. Quinn and G.R. Park*

733

Recovery and morbidity after daycase anaesthesia. A comparison of propofol with thiopentone-enflurane with and without alfentanil

*J.M. Millar and C.F. Jewkes*

738

Blood pressure response of neonates to tracheal intubation

*A.J. Charlton and S.G. Greenhough*

744

A comparison of the response of hand and facial muscles to non-depolarising relaxants

*D. Pathak, M.D. Sokoll, W. Barcellos and V. Kumar*

747

Sufentanil to supplement nitrous oxide in oxygen during balanced anaesthesia

*M. O'Connor and J.W. Sear*

749

CASE REPORTS

Respiratory failure following envenomation

*L.D. Karalliedde and P.S. Sanmuganathan*

753

Argyria or cyanosis

*A.C. Timmins and G.A.R. Morgan*

755

Phenytoin-induced resistance to pancuronium. Use of atracurium infusion in management of a neurosurgical patient

*D.R. Hickey, S. Sangwan and J.C. Bevan*

757

Minitracheotomy in children. The management of sputum retention in older children by minitracheotomy

*P.W. Allen and S.M. Hart*

760

APPARATUS

The antigravity suit in neurosurgery. Cardiovascular responses in seated neurosurgical patients

*P.M. Brodrick and G.S. Ingram*

762

The Downs' adjustable flow generator

*G.C. Fisher*

766

Patient-controlled analgesia—the need for caution. A case report and review of adverse incidents

*D.W. Thomas and H. Owen*

770

HISTORICAL

The development of the anaesthetic vaporizer. The contribution of A.G. Levy

*D. Zuck*

773

The first use of physostigmine in the treatment of atropine poisoning. A translation of Kleinwachter's paper entitled 'Observations on the effect of Calabar bean extract as an antidote to atropine poisoning'

*R.W.D. Nickalls and E.A. Nickalls*

776

FORUM

The control of post-thoracotomy pain. A comparative evaluation of thoracic epidural fentanyl infusions and cryo-analgesia

*J.D. Gough, A.B. Williams, R.S. Vaughan, J.F. Khalil and E.G. Butchart*

780

Epidural fentanyl for shaking in obstetrics

*N.C. Matthews and G. Corser*

783

An evaluation of the incentive spirometer to improve lung function after cholecystectomy

*M. O'Connor and M.P. Tattersall*

785

Cricoid pressure and the pressor response to tracheal intubation

*P. Mills, T. Poole and J. Curran*

788

Nifedipine and surgical removal of pheochromocytoma

*P. Chari, R.N. Katariya, R. K. Venkataraman and A. Trikha*

791

CORRESPONDENCE

795

ANAESTHETIC LITERATURE

814

HAZARD NOTICE

821

STOP PRESS

821

COURSE IN ANAESTHESIA

821

ERRATA

822

EDITORIAL

- Anaesthetists and the need to implement change  
*M.M. Burrows*

823

ORIGINAL ARTICLES

- Factors that influence cutaneous reactions following administration of thiopentone and atracurium  
*A.G.A. Lynas, R.S.J. Clarke, J.P.H. Fee, and J.E. Reid*  
Postoperative recovery rooms. Staffing and facilities in three regions in the United Kingdom  
*C.S. Goodchild*  
Identification of autonomic dysfunction with a pulse oximeter  
*I.J. Broome and R.A. Mason*  
Technical advantages of the paramedian approach for lumbar epidural puncture and catheter introduction. A study using epiduroscopy in autopsy subjects  
*R.G. Blomberg*  
Lignocaine 2% with adrenaline for epidural Caesarean section. A comparison with 0.5% bupivacaine  
*A.C. Norton, A.G. Davis and R.J. Spicer*  
Alfentanil infusion in the elderly. Prolonged computer-assisted infusion of alfentanil in the elderly surgical patient  
*H.J.M. Lemmens, J.G. Bovill, A.G.L. Burn and P.J. Hennis*  
The effect of tracheal intubation and surgical stimulation on median nerve somatosensory evoked potentials during anaesthesia  
*P.S. Sebel, P.S. Withington, C.F. Rutherford and K. Markham*

825

829

833

837

844

850

857

CASE REPORTS

- Coronary vasospasm during percutaneous trigeminal rhizotomy  
*B. Swerdlow, L. Shuer and J. Zelcer*  
A boy with an anterior mediastinal mass  
*R.E. John and V.P.S. Narang*  
Spina bifida occulta and epidural anaesthesia  
*E.M. McGrady and A.G. Davis*  
An unusual case of stridor  
*A. Black and A.R. Lloyd-Thomas*  
Systemic air embolism during laser bronchoscopy  
*T. Peachey, J. Eason, J. Moxham, D. Jarvis and M. Driver*

861

864

867

870

872

APPARATUS

- Differential flow from multihole epidural catheters  
*I. Power and J. Thorburn*

876

FORUM

- An analysis of critical incidents in a teaching department for quality assurance. A survey of mishaps during anaesthesia  
*V. Kumar, W.A. Barcellos, M.P. Mehta and J.G. Carter*  
Costs of replacement of anaesthetic equipment. Projected expenditure for clinical anaesthetic equipment in a teaching health district  
*N.McC. Schofield*

879

883

CORRESPONDENCE

887

BOOK REVIEWS

908

ANAESTHETIC LITERATURE

911

INTERNATIONAL CONGRESS CALENDAR

915

COURSES IN ANAESTHESIA

917

EDITORIAL

- Vegetative survival after brain insults. Can anaesthetists reduce the frequency of a fate worse than death?  
*B. Jennett* 921

ORIGINAL ARTICLES

- Adult respiratory distress syndrome—how many cases in the UK?  
*N.R. Webster, A.T. Cohen and J.F. Nunn* 923
- Anaesthetic induction with isoflurane or halothane. Oxygen saturation during induction with isoflurane or halothane in unpremedicated children  
*A.J. Phillips, J.R. Brimacombe and D.L. Simpson* 927
- Antagonism of neuromuscular blockade. The cardiovascular effects in children of the combination of edrophonium and glycopyrronium  
*D.R. Goldhill, A. Pyne and C.J. Jones* 930
- Anaesthesia and angiotensin-converting enzyme inhibitors. The effect of enalapril on peri-operative cardiovascular stability  
*A.P. Yates and D.N. Hunter* 935
- Spread of radiopaque dye in the thoracic epidural space  
*R. Slappendel, M.J.M. Gielen, M.A.W.M. Hasenbos and F.M.J. Heystraten* 939
- Postoperative recovery after general anaesthesia with and without retrobulbar block in retinal detachment surgery  
*F. Chung, D. Westerling, L.D.J. Chisholm and G.W. Squires* 943
- Rectus sheath block for diagnostic laparoscopy  
*B.E. Smith, M. Suchak, D. Siggins and J. Challands* 947
- Induction dose of propofol in children  
*D.K. Patel, P.A. Keeling, G.B. Newman and P. Radford* 949

CASE REPORTS

- Anaphylactoid reaction following the use of etomidate  
*E.J. Fazackerley, A.J. Martin, C.L. Tolhurst-Cleaver and J. Watkins* 953
- Anaphylactic reaction after atropine  
*L. Aguilera, R. Martinez-Bourio, C. Cid, J.J. Arino, J.L. Saez de Eguilaz and A. Arizaga* 955
- Fatal anaphylactic reaction to suxamethonium: new screening test suggests possible prevention  
*E.S.K. Assem and Y.B. Ling* 958
- The prolonged use of atracurium in a patient with tetanus  
*S.J. Peat, D.R. Potter and J.M. Hunter* 962
- Multiple rib fractures and head injury—an indication for intercostal catheterisation and infusion of local anaesthetics  
*P.J. Graziotti and G.B. Smith* 964
- Pulmonary oedema following carbamazepine overdose  
*G.E. Kitson and T.D. Wauchob* 967

APPARATUS

- Where there is no laryngoscope  
*B.P. O'Donohoe, R.J.E. Page and C. Awini* 970

HISTORICAL

- The Alcock chloroform vaporizer. An early calibrated temperature-compensated plenum apparatus in its historical context  
*D. Zuck* 972

FORUM

- Hypoxaemia during induction of anaesthesia—an audit of children who underwent general anaesthesia for routine elective surgery  
*G.J.A. Laycock and L.R. McNicol* 981
- Hypoxaemia during recovery from anaesthesia—an audit of children after general anaesthesia for routine elective surgery  
*G.J.A. Laycock and L.R. McNicol* 984

CORRESPONDENCE

BOOK REVIEWS

ANAESTHETIC LITERATURE

988

996

999

EDITORIAL

Arrhythmia prevails

*D.M. Krikler*

1003

ORIGINAL ARTICLES

Intra-ocular pressure changes during rapid sequence induction of anaesthesia. A comparison between thiopentone and suxamethonium and thiopentone and atracurium

*L. Edmondson, S.L. Lindsay, L.P. Lanigan, M. Woods and H.E.R. Chew*

1005

Prophylaxis against acid aspiration syndrome. Single oral dose of H<sub>2</sub>-antagonist on the evening before elective surgery

*E.G. Gallagher, M. White, S. Ward, J. Cottrell and S.G. Mann*

1011

Continuous blockade of the lumbar plexus after knee surgery—postoperative analgesia and bupivacaine plasma concentrations. A controlled clinical trial

*J.B. Dahl, C.L. Christiansen, J.J. Daugaard, P. Schultz and P. Carlsson*

1015

Alkalinised bupivacaine and adrenaline for epidural Caesarean section. A comparison with 0.5% bupivacaine

*R.M. Tackley and A.J. Coe*

1019

CASE REPORTS

Is propofol a safe agent in porphyria?

*P.M. Weir and B.P. Hodgkinson*

1022

Delayed recovery from general anaesthesia

*K.R. Johnston and R.S. Vaughan*

1024

Pain after spinal intrathecal clonidine. An adverse interaction with tricyclic antidepressants?

*P.A.J. Hardy and J.C.D. Wells*

1026

An unexpected functional cause of upper airway obstruction

*L.G. Michelsen and A.F.L. VanDerSpek*

1028

Phaeochromocytoma—a presentation mimicking malignant hyperthermia

*K.J. Crowley, A.J. Cunningham, B. Conroy, P.R. O'Connell and P.G. Collins*

1031

Haemoglobin H disease and cardiac surgery

*S.J. Rowbottom and D.A. Sudhaman*

1033

APPARATUS

Evaluation of a multigas anaesthetic monitor: the Datex Capnomac

*H. McPeak, E. Palayiwa, R. Madgwick and M.K. Sykes*

1035

Long-term performance of Tec vaporizers. Basis for a rational maintenance policy

*K.B. Carter, W.M. Gray, R. Railton and W. Richardson*

1042

Dependence of the output of a halothane vaporizer on thymol concentration

*W.M. Gray*

1047

FORUM

Intravenous fluids in minor gynaecological surgery. Their effect on postoperative morbidity

*E.M. Spencer*

1050

'Fruit-flavoured' mask for isoflurane induction in children

*R.P. Lewis, M.J. Jones, R.J. Eastley and J.G. Wandless*

1052

CORRESPONDENCE

1055

ANAESTHETIC LITERATURE

1068

INDEX

1075

DETROIT RECEIVING HOSPITAL,  
UNIVERSITY HEALTH CENTER  
LIBRARY  
4201 ST. ANTOINE  
DETROIT, MICHIGAN 48201

